

# McHale 991L

Round Bale Wrapper  
991L-LB-LBER-TBER SERIES



[www.mchale.net](http://www.mchale.net)

The Professional Choice

# “Dependable Performance”

For thousands of contractors and owner operators McHale is the name for Round Bale Wrapping - A perfect blend of tried and tested technology with solid construction and dependable performance. Depending on your requirements the 991L series can be supplied with practical features including the hydraulic cut and tie system and the efficient 750mm film dispenser unit which maximises film usage, all which can be simply controlled with the touch of a button or a remote control. Like all McHale Balewrappers, the high output 911L Series will give you a tightly wrapped bale that increases feed quality and contains the natural juices for greater nutritional value while giving increased environmental protection.

## Remote Control

When used with an independent power pack and an infra red remote control, this machine will eliminate the need for a second tractor and operator. While one bale is being wrapped the operator can stack the last completed bale ready to complete the cycle. This economical and efficient method of bale wrapping can reduce operating costs by up to 50% while keeping the handling of the wrapped bales to a minimum.



## Cut & Tie

The McHale hydraulically operated Cut and Tie System cuts and holds the film in position ready to wrap the next bale. This time saving device eliminates the need to manually reattach the film. Uniquely designed, this system works reliably and consistently in all weather conditions.



## Quick fit dispenser



Reloading new roll



Locking in new roll





**McHale**



# McHale

## 991L

Round Bale Wrapper  
991L-LB-LBER-TBER SERIES

McHale has evolved from a farm machinery retail outlet, which is still in existence today. This background has provided an excellent foundation for the design and manufacture of farm machinery, due to direct contact with the end user. Manufacturing takes place in a purpose built facility, which utilises the latest in laser and robotics manufacturing technology and operates to ISO 9001/2008 accreditation.

All research and development is conducted inhouse using leading edge technologies. Machines go through rigorous testing during the product development process and machine performance is constantly monitored. As a result, this ensures that product of the highest quality, specification and design are delivered to you. Which explains why a McHale product is truly "an investment in the future".

### Technical Data

Linkage Model [Round]	991L, 991LB, 991LBER
Total Length	2.8m (9'2")
Transport Width	1.65m (5'5")
Height to top of rollers	0.83m (2'9")
Total Height	1.94m (6'4")
Min oil req. litres per minute	18 @ 150 bar
Max bale weight	1200kg. (2646 lbs)
Lift Capacity @ 170 bar	1100 kg. (2425 lbs.)
Weight (unladen)	800 kg. (1764 lbs)
Working speed-table (up to)	30 rotations/min
Electrical requirements	12v/dc 7 pin (991LB) 12v/from battery (991LBER)
Driver Control	3 Bank Valve & monitor (991LB) Elec. box & remote (991LBER)
Film Holders	2
Dispenser - Aluminium 70/55%	750/500mm
Protection Mechanism	Shear bolt/roll pin
Greasing Points	11

### Equipment on each model

	991L	991LB	991LBER
750/500 Dispenser	✓	✓	✓
2 film holders	✓	✓	✓
Bale Support Bobbins	✓	✓	✓
Quick Hitch system	✓	✓	✓
Cut & Tie	✓	✓	✓
Bale wrap monitor	✓	✓	✓
Fully auto/remote and manual over-ride	✓	✓	✓



991B



998



V660



F5000



Fusion 3

# McHale

Ballinrobe,  
Co. Mayo, Ireland

T. 353 (0) 94 95 20300

F. 353 (0) 94 95 20356

E. sales@mchale.net

SUPPLIED BY:

[www.mchale.net](http://www.mchale.net)

#### DISCLAIMER

This literature is designed for worldwide circulation. Due to a continuing policy of product improvement, we reserve the right to alter specifications and constructions without notice. As machines are exported to many different countries, general information, pictures and descriptions are provided; these should be taken as approximate and may include optional equipment that is not part of the standard specification. Please consult your local dealer or distributor for further information.